UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/747,832	12/29/2003	David L. Thompson	11738.00214	6454
70467 BANNER & W	7590 /ITCOFF, LTD	EXAMINER		
AND ATTORNEYS FOR CLIENT NUMBER 011738			MENDEZ, MANUEL A	
10 SOUTH WA SUITE 3000	10 SOUTH WACKER DRIVE SUITE 3000			PAPER NUMBER
	CHICAGO, IL 60606		3763	
			MAIL DATE	DELIVERY MODE
			12/11/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•	Application No.	Applicant(s)			
	10/747,832	THOMPSON, DAVID L.			
Office Action Summary	Examiner	Art Unit			
	Manuel Mendez	3763			
The MAILING DATE of this communication ap	ppears on the cover sheet w	ith the correspondence address			
Period for Reply	VIO OFT TO EVOIDE 4 N	IONTHYON OR THIRTY (20) DAVO			
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statur Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNI .136(a). In no event, however, may a d will apply and will expire SIX (6) MON te, cause the application to become Al	CATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 12.5	September 2007.				
2a) This action is FINAL . 2b) Thi	·				
3) Since this application is in condition for allows	•	• •			
closed in accordance with the practice under	Ex parte Quayle, 1935 C.E.	D. 11, 453 O.G. 213.			
Disposition of Claims					
4) Claim(s) 14-206 is/are pending in the application	tion.				
4a) Of the above claim(s) is/are withdra	awn from consideration.				
5) Claim(s) is/are allowed.					
6) Claim(s) is/are rejected.					
7) Claim(s) is/are objected to.					
8) Claim(s) <u>14-206</u> are subject to restriction and	or election requirement.				
Application Papers					
9)☐ The specification is objected to by the Examin	er.				
10) ☐ The drawing(s) filed on is/are: a) ☐ acc	cepted or b) Dobjected to	by the Examiner.			
Applicant may not request that any objection to the	e drawing(s) be held in abeyar	nce. See 37 CFR 1.85(a).			
Replacement drawing sheet(s) including the correct	•	• • •			
11) ☐ The oath or declaration is objected to by the E	xaminer. Note the attached	d Office Action or form PTO-152.			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	n priority under 35 U.S.C. §	§ 119(a)-(d) or (f).			
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documen		application No			
3. Copies of the certified copies of the price					
application from the International Burea	au (PCT Rule 17.2(a)).				
* See the attached detailed Office action for a list	t of the certified copies not	received.			
Attachment(s)					
1) Notice of References Cited (PTO-892)		Summary (PTO-413)			
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)		s)/Mail Date nformal Patent Application			
Paper No(s)/Mail Date	6) Other:				

Application/Control Number: 10/747,832

Art Unit: 3763

DETAILED ACTION

Election/Restrictions

Restriction to one of the following inventions is required under 35 U.S.C. 121:

- l. Claims 14-43, drawn to an iontopheretic sensor module for sampling and detecting a concentration of a substance of interest through skin, wherein the sensor module comprises a sampling system and a concentration determining system; a control system, responsive to the iontopheretic sensor module, for determining a response to the sampled and determined concentration of a substance of interest; a sensor telemetry system for transmitting information regarding the response determined by the control system through the patient's body; a pump telemetry system for receiving information regarding the response determined by the control system through the patient's body and for communicating the information to an implantable drug pump; and an implantable drug pump, acting in response to the information communicated to the implantable drug pump from the pump telemetry system, to deliver a responsive dose of an appropriate medicament to the patient, classified in class 604, subclass 20.
- II. Claims 44-71, drawn to a sensor module for sampling and determining the concentration of a substance of interest including glucose in the patient; a control system for determining an appropriate response to the determined concentration of the substance of interest; an implantable drug pump for dispensing an appropriate amount of a medicament including insulin to the patient; means for communicating information from the sensor module to the control system; and, means for communicating information from the control system to the implantable drug pump, classified in class 604, subclass 65.
- III. Claims 72-99, drawn to a sensor for sampling and determining the concentration of a substance of interest including glucose in the patient; a control system for determining an appropriate response to the determined concentration of the substance of interest; an implantable drug pump for dispensing an appropriate amount of a medicament including insulin to the patient; a first communications system capable of communicating information, regarding the sensed concentration of a substance of interest in the patient, from the sensor to the control system; and, a second communications system capable of communicating information, regarding the determined response to the determined concentration of the substance of interest, from the control system to the implantable drug pump, classified in class 604, subclass 66.
- IV. Claims 100-102, drawn to an external, disposable, reusable sensor for sampling and determining the concentration of a substance of interest including glucose in the patient; a control system including a microprocessor for determining an appropriate response to the determined concentration of the substance of interest,

Page 3

Application/Control Number:

10/747,832 Art Unit: 3763

wherein the microprocessor operates a program including the steps of receiving information related to the concentration of the substance of interest, comparing the information related to the concentration to information related to a predetermined limit, and then, if the comparing step indicates the concentration exceeds the predetermined limit, determining the appropriate response to the determined concentration, and generating information to cause the drug pump to deliver the responsive dose of the appropriate medicament, and if the comparing step indicates the concentration does not exceed the predetermined limit, waiting for a period of time to expire before again operating the program steps of receiving information related to the concentration of the substance of interest and comparing the information related to the concentration to information related to the predetermined limit, in which the periodicity of the operation of the program, including the period of time for waiting, may be present in the program or programmed, and in which the operation of the program steps of receiving information related to the concentration of the substance of interest and comparing the information related to the concentration to information related to the predetermined limit may be accomplished on command, in -which the microprocessor further includes one of either a memory with a look-up table or a formula for the responsive dose of the appropriate medicament or a memory, and the step of determining the responsive dose includes one of retrieving a value from the look-up table or determining the dose according to the formula; an implantable drug pump for dispensing an appropriate amount of a medicament including insulin to the patient, in which the drug pump includes memory, and the information communicated to the pump to cause the drug pump to deliver the responsive dose of the appropriate medicament is stored in the memory with related time of the delivery of the responsive dose, and the memory keeps the information and time available for later uplink telemetry; uplink telemetry equipment including an operatively connected antenna which receives downlinked telemetry programming data transmitted by an external programmer; a first communications system capable of communicating information, regarding the sensed concentration of a substance of interest in the patient, from the sensor to the control system; and, a second communications system capable of communicating information, regarding the determined response to the determined concentration of the substance of interest, from the control system to the implantable drug pump; and an operatively connected battery, classified in class 604, subclass 67.

V. Claim 103-107, drawn to a sensor module for sampling and determining the concentration of a substance of interest including glucose in the patient; a control system for determining an appropriate response to the determined concentration of the substance of interest, the control system being integrally connected to the sensor module; an implantable drug pump for dispensing an appropriate amount of a medicament including insulin to the patient; and a telemetry system for communicating information from the control system to the implantable drug pump, classified in class 424, subclass 424.

Application/Control Number:

10/747,832 Art Unit: 3763 Page 4

- X. Claims 108-135, drawn to an iontopheretic sensor module for sampling and detecting a concentration of a substance of interest through skin; a control system, responsive to the iontopheretic sensor module, for determining a response to the sampled and determined concentration of a substance of interest; a sensor telemetry system for transmitting information regarding the response determined by the control system through the patient's body; a pump telemetry system for receiving information regarding the response determined by the control system through the patient's body and for communicating the information to an implantable drug pump; and an implantable drug pump, acting in response to the information communicated to the implantable drug pump from the pump telemetry system, to deliver a responsive dose of an appropriate medicament to the patient, classified in class 604, subclass 19.
- XI. Claims 136-163, drawn to a sensor module for sampling and determining the concentration of a substance of interest in the patient; a control system for determining an appropriate response to the determined concentration of the substance of interest; an implantable drug pump for dispensing an appropriate amount of a medicament to the patient; means for communicating information from the sensor module to the control system; and, means for communicating information from the control system to the implantable drug pump., classified in class 128, Digest 13.
- XII. Claims 164-191, drawn to a sensor for sampling and determining the concentration of a substance of interest in the patient; a control system for determining an appropriate response to the determined concentration of the substance of interest; an implantable drug pump for dispensing an appropriate amount of a medicament to the patient; a first communications system capable of communicating information, regarding the sensed concentration of a substance of interest in the patient, from the sensor to the control system; and, a second communications system capable of communicating information, regarding the determined response to the determined concentration of the substance of interest, from the control system to the implantable drug pump, classified in class 604, subclass 131.
- XIII. Claim 192-195, drawn to a sensor module for sampling and determining the concentration of a substance of interest in the patient; a control system for determining an appropriate response to the determined concentration of the substance of interest, the control system being integrally connected to the sensor module; an implantable drug pump for dispensing an appropriate amount of a medicament to the patient; and a telemetry system for communicating information from the control system to the implantable drug pump, classified in class 604, subclass 151.

Application/Control Number:

10/747,832 Art Unit: 3763

XVII. Claims 196-206, drawn to means for determining the concentration of a substance of interest in the patient; means for determining an appropriate response to the determined concentration of the substance of interest; a medical device for taking an action appropriate to a concentration of interest in a patient; means for communicating information from the means for determining the concentration to the means for determining an appropriate response; and, means for communicating information from the means for determining an appropriate response to the medical device, classified in class 604, subclass 67.

The inventions are distinct, each from the other because of the following reasons:

Inventions I to XVII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, the subcombination groups disclosed above has separate utility in view of the structural differences identified in each of the Groups. See MPEP § 806.05(d).

The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

Application/Control Number:

10/747,832 Art Unit: 3763

Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction is not required because the inventions have acquired a separate status in the art due to their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Manuel Mendez whose telephone number is 571-272-4962. The examiner can normally be reached on 0730-1800 hrs.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Nicholas D. Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 3763

Page 7

Manuel Mendez Primary Examiner Art Unit 3763

MM